

EN

Safety Data Sheet

.1. Product identifier			
Product name Chemical name and synonym	WAXES	TEWAX NERA S SOLUTION IN 1.2-DICH DTREATED LIGHT	LOROPROPANE AND NAPHTHA (PETROLEUM),
.2. Relevant identified uses of the substand	ce or mixture ar	nd uses advised against	
Intended use	WAX F	OR NATURAL STONES	
.3. Details of the supplier of the safety data	sheet		
Name	Tenax	Spa	
Full address		aggio, 226	
District and Country	37020		(VR)
		Italy	
	Tel.	+39 045 6887593	
	Fax	+39 045 6862456	
e-mail address of the competent person		N	
responsible for the Safety Data Sheet	tenax@	gtenax.it	
Product distribution by		CUSA 1408 Center Park 1 704 583 3166 info@ten	Drive, 28217 Charlotte Tel. 001 704 583 1173 axusa.com
.4. Emergency telephone number			
For urgent inquiries refer to	1-800-5	5355053 (1-352-323-3500	international)

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in Directives 67/548/EEC and 1999/45/EC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulationn 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Danger Symbols: F-Xn

R phrases: 11-20/22

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

2.2. Label elements.

Hazard labelling pursuant to Directives 67/548/EEC and 1999/45/EC and subsequent amendments and supplements.



HIGHLY FLAMMABLE

R11	HIGHLY FLAMMABLE.
R20/22	HARMFUL BY INHALATION AND IF SWALLOWED.
S 9	KEEP CONTAINER IN A WELL-VENTILATED PLACE.
S16	KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.
S33	TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES.
S43	IN CASE OF FIRE USE DUST, CARBON DIOXIDE, FOAM, SPRAYED WATER. DO NOT USE WATER DIRECTLY.



ΕN

1.2-DICHLOROPROPANE Contains:

2.3. Other hazards.

Information not available.

3. Composition/information on ingredients

Information not relevant

3.2. Mixtures.

Contains:

oomamo.				
Identificatio	n.	Conc. %.	Classification 67/548/EEC.	Classification 1272/2008 (CLP).
	ROPROPANE			
CAS.	78-87-5	30 - 50	F R11, Xn R20/22	Flam. Liq. 2 H225, Acute Tox. 4 H332, Acute Tox. 4 H302
EC.	201-152-2			
INDEX.	602-020-00-0			
NAPHTA (PE	ETROL.) HYDROTR	EATED HEAVY		
CAS.	64742-48-9	20 - 30	Xn R65, Note H P	Carc. 1B H350, Muta. 1B H340, Asp. Tox. 1 H304, Note H P
EC.	265-150-3			· · · ·
INDEX.	649-327-00-6			
Reg. no.	01-2119463258-33	3		
	5. <u>2</u> 100200 00			

T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

4. First aid measures.

4.1. Description of first aid measures.

EYES: Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice. SKIN: Wash immediately with plenty of water. Remove contaminated clothing. If irritation persists, seek medical attention. Wash contaminated clothing before using them again. INHALATION: Remove to open air. If breathing is irregular, seek medical advice. INGESTION: Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Follow doctor's orders.

5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING MEDIA

The extinction equipment should contain carbon dioxide, foam or chemical powders. For product leaks and spills that have not caught fire, nebulised water can be used to dispel flammable fumes and protect the individuals taking part in stemming the leak. EXTINGUISHING MEDIA WHICH SHALL NOT BE USED FOR SAFETY REASONS

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion.

Do not breathe combustion products (carbon oxide, toxic pyrolysis products, etc).

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Hardhat with visor, fireproof clothing (fireproof jacket and trousers with ties around arms, legs and waist) work gloves (fireproof, cut proof and dielectric), self-respirator (self-protector).



Revision nr.7 Dated 11/05/2011 Printed on 11/05/2011 Page n. 3 / 7

6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Eliminate sources of ignition (cigarettes, flames, sparks, etc.) from the air in which the leak occurred. If there are no contraindications, spray solid products with water to prevent the formation of dust. Use breathing equipment if fumes or powders are released into the air. Block the leakage if there is no hazard. Do not handle damaged containers or leaked product before donning appropriate protective gear. Send away individuals who are not suitably equipped. For information on risks for the environmental and health, respiratory tract protection, ventilation and personal protection equipment, refer to the other sections of this sheet.

6.2. Environmental precautions.

The product must not penetrate the sewers, surface water, ground water and neighbouring areas.

6.3. Methods and material for containment and cleaning up.

For liquid products, suck into a suitable container (made of material not incompatible with the product) and soak up any leaked product with absorbent inert material (sand, vermiculite, diatomeous earth, Kieselguhr, etc). Collect the majority of the remaining material and deposit in containers for disposal. For solid products, use spark proof mechanical tools to collect the leaked product and place in plastic containers. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage.

7.1. Precautions for safe handling.

Avoid the accumulation of electrostatic charges.

Vapours may ignite with explosion, it is therefore necessary to avoid accumulation keeping the windows and doors open, ensuring crossventilation. Without adequate ventilation, the vapours may accumulate at the bottom and ignite at a distance, if triggered off, with the risk of flashback. Keep far away from sources of heat, sparks and bright flames. Do not smoke, use matches or lighters. Keep the containers earthed while decanting and wear antistatic boots.

Vigorous stirring and flow through the pipings and equipment may cause the formation and accumulation of electrostatic charges due to the low conductivity of the product. In order to avoid the risk of fire outbreak and explosion never use compressed air during movement.

7.2. Conditions for safe storage, including any incompatibilities.

Store the containers sealed and in a well ventilated place.

7.3. Specific end use(s).

Information not available.

8. Exposure controls/personal protection.

8.1. Control parameters.

Name	Туре	Country	TWA/8h mg/m3		STEL/15min mg/m3	000	
			ing/ins	ppm	Ing/Ino	ppm	
1,2-DICHLOROPROPANE	TLV-ACGIH OEL	IRL		10 75		110	

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration or bad air vent. If such operations do not make it possible to keep the concentration of the product below the permitted workplace exposure thresholds a suitable respiratory tract protection must be used. See product label for hazard details during use. Ask your chemical substance suppliers for advice when choosing personal protection equipment. Personal protection equipment must comply with the rules in force indicated below.

HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

ΕN



If the threshold value for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an AX or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of breathing protection equipment, such as masks with organic vapour and dust/mist cartridges, is necessary in the absence of technical measures limiting worker exposure. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance	PASTE		
Colour	black		
Odour	typical		
Odour threshold.	Not available.		
pH.	Not available.		
Melting or freezing point.	Not available.		
Boiling point.	Not available.		
Distillation range.	Not available.		
Flash point.	< 21 °C.		
Evaporation Rate	Not available.		
Flammability of solids and gases	Not available.		
Lower inflammability limit.	Not available.		
Upper inflammability limit.	Not available.		
Lower explosive limit.	Not available.		
Upper explosive limit.	Not available.		
Vapour pressure.	Not available.		
Vapour density Not available.			
Specific gravity.	0,900 Kg/l		
Solubility	SOLUBLE IN AROMATIC		
Partition coefficient: n-octanol/water	Not available.		
Ignition temperature.	Not available.		
Decomposition temperature.	Not available.		
Viscosity	TIXOTROPICO		
Reactive Properties	Not available.		
9.2. Other information.			
Solid content:	30.00 %		
VOC (Directive 1999/13/EC) :	66,50 % - 598,50	g/litre.	
VOC (volatile carbon) :	35.98 % - 323.81	g/litre.	
	55,50 /0 - 525,01	gritte.	

10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

1,2-DICHLOROPROPANE: decomposes on contact with flames or red hot surfaces.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

1,2-DICHLOROPROPANE: risk of explosion on contact with: aluminium and metal powders. It may react dangerously with: alkaline metals, alkaline earth metals, sodium amides. Forms explosive mixtures with the air.

10.4. Conditions to avoid.

Avoid overheating, electrostatic discharge and all sources of ignition.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

1,2-DICHLOROPROPANE: hydrochloric acid.



ΕN

11. Toxicological information.

11.1. Information on toxicological effects.

Acute effects: inhalation and ingestion of this product are harmful. This product may irritate mucosas, the upper respiratory tract, eyes and skin. Exposure symptoms may include: stinging and irritated eyes, mouth, nose, throat; cough, respiratory disorders, dizziness, headache, nausea and sickness.

In the most serious cases, inhalation of this product may cause larynx and bronchial tube edema and irritation, chemical pneumonia and pulmonary edema. Ingestion of even small amounts of this product may cause serious health disorders (stomach pain, nausea, sickness, diarrhoea).

12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

- **12.2. Persistence and degradability.** Information not available.
- **12.3. Bioaccumulative potential.** Information not available.
- **12.4. Mobility in soil.** Information not available.
- **12.5. Results of PBT and vPvB assessment.** Information not available.

12.6. Other adverse effects. Information not available.

13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.



EN

Road and rail transport:

ADR/RID Class:	3	UN:	1993	
Packing Group:	III			
Label:	3			
Nr. Kemler:	30			
Limited Quantity.	5 lt			
Tunnel restriction code.	(D/E)			
Proper Shipping Name:	FLAM	MABLE LIQU	JID, N.O.S. (1,2-DICH	LOROPROPANE)
Special Provision:	640H			

The product, if packaged in packages of less than 450 litres, is not subject to ADR regulations as stated in 2.2.3.1.5.

Carriage by sea (shipping):

IMO Class:	3 UN: 1993	
Packing Group:	III	
Label:	3	
EMS:	F-E , S-E	
Marine Pollutant.	NO	
Proper Shipping Name:	FLAMMABLE LIQUID, N.O.S. (1.2-DICHLO	DROPROPANE)

The product, if packaged in packages of less than 30 litres, is not subject to obligations relating to marking, labelling and package testing in accordance with 2.3.2.5 of the IMDG CODE.

Transport by air:

IATA: Packing Group: Label: Cargo:	3 UN: III 3	1993	
Packaging instructions: Pass.:	366	Maximum quantity:	220 L
Packaging instructions: Special Instructions: Proper Shipping Name:	355 A3 FLAMMABLE LI	Maximum quantity: IQUID, N.O.S. (1,2-DICHLOROPROPANI	60 L E)

15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category.	7b		
	product or contained substances pursua	ant to Annex XVII to EC Regulation 1907/2006.	
Product. Point. Contained substance.	3 - 40		
Substances in Candidate	List (Art. 59 REACH).		
None.			
	horisarion (Annex XIV REACH).		
None.			
•	workers' health and safety are	not undergo health checks, provided that available risk-assessment data prove that the modest and that the 98/24/EC directive is respected.	
Emissioni: TAB. D	Classe 3	38,51 %	
15.2. Chemical safety	assessment.		
No chemical safety	assessment has been process	ed for the mixture and the substances it contains.	
16. Other informati	on.		
Text of hazard (H) i	ndications mentioned in section	n 2-3 of the sheet:	
Flam. Liq. 2	Flammable liquid, category 2		



Revision nr.7 Dated 11/05/2011 Printed on 11/05/2011 Page n. 7 / 7

Acute toxicity, category 4
Carcinogenicity, category 1B
Germ cell mutagenicity, category 1B
Aspiration hazard, category 1
Highly flammable liquid and vapour.
May cause cancer <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state>
May cause genetic defects <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state>
Harmful if inhaled.
Harmful if swallowed.
May be fatal if swallowed and enters airways.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R11	HIGHLY FLAMMABLE.
R20/22	HARMFUL BY INHALATION AND IF SWALLOWED.
R65	HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. The Merck Index. 10th Edition
- 8. Handling Chemical Safety
- 9. Niosh Registry of Toxic Effects of Chemical Substances
- 10. INRS Fiche Toxicologique (toxicological sheet)
- 11. Patty Industrial Hygiene and Toxicology
- 12. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product .

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Changes to previous review: The following sections were modified:

01 / 14.

EN